# SOUTH ASIAN JOURNAL OF <u>Ele</u>yon ENGINEERING AND TECHNOLOGY

C SOUTH ASIAN JOURNAL OF ENGINEERING AND TECHNOLOGY	

## **Full Length Article**

# AUTOMATIC METER READING AND THEFT DETECTION SYSTEM

## <sup>a</sup>S.Vivekanadan, <sup>b</sup>T.Pavithra, <sup>b</sup>S.Prabha, <sup>b</sup>R. Karunathan

<sup>a</sup> Assistant Professor(Sr.Gr), Department of Computer Science and Engineering, Vellalar college of Engineering and Technology, Erode, Tamilnadu, India <sup>b</sup> Student, Department of Computer Science and Engineering, Vellalar college of Engineering and Technology, Erode, Tamilnadu, India <sup>b</sup> Student, Department of Computer Science and Engineering, Vellalar college of Engineering and Technology, Erode, Tamilnadu, India <sup>b</sup> Student, Department of Computer Science and Engineering, Vellalar college of Engineering and Technology, Erode, Tamilnadu, India

### \*Corresponding Author

(S.Vivekanadan)

ABSTRACT: This paper presents a detection of power theft in every houses and in industry for different methods of theft. Electrical energy is very important for everyday life and spine for the industry. Electricity is indiscipline to our daily life with increasing need of electricity the power theft is also increasing, power theft is a problem that continues to plague power sector across whole country the objective of this project is to design such a system which will try to reduce the illegal use of electricity and also reduce the chances of theft. This project will automatically collect the reading and also detect the theft This model reduces manual manipulation work and try to achieves theft control .The proposed work concentrates on electronic meter reading using WI-FI. The payment will be generated according to reading. Power theft is a problem that continues to plague power sector across whole country. The objective of this project is to design such a system which will try to reduce the man power. This is very useful to detect the illegal power theft in consumer side of home, industries

### 1 Introduction

in country, were population is very high and the use possible. of electricity are ultimately tremendous. In India, every year there is very increasing number of theft detection system to detect the theft which is a electricity thefts across domestic connection as well as industrial electricity supply, which results in loss of electricity companies wire, people simply bypasses electricity meter energy and because of which we are facing the which is counting the current unit by placing a wire frequent problems of load shading in urban as well before and after the meter reading unit. The as rural areas so as to overcome the need of proposed system will be hidden in such meter and electricity for whole state. Also the ways using as soon as which theft can be done are innumerable so we can an attempt is made for the theft, it will send SMS never keep track of how a theft has occurred, and to control unit of electricity board.

Electricity theft is a very common problem this issue is needed to be solved as early as

In This abstract we propose an electricity electricity made by the most common way of doing the theft and that is bypassing the meter using the a piece of

In this system current transformer are used, here **DISADVANTAGES**: one current transformer is placed in input side of the post line. Other current transformer are placed at the distribution points of the house lines. The output of CT values is given as input to PIC microcontroller convert analog inputs to digital. Then PIC compares the input current and the same of output current. If compared result has any negative values then this particular post is detected as theft point. This compared value is transmitted to **MODULE DESCRIPTION**: electricity board, this value display in LCD display. The information will then be quickly processed by the microcontroller and a SMS will be send through the WIFI technology

### **EXISTING SYSTEM:**

In this existing system wireless communication system of energy meter used with Zigbee, relay control and GPRS. The cryptographic method is used to secure the communication channel and zigbee for the transmission of data in a serial process. Drawback of this process is to collect the readings, going in the particular range of area and manually cut power supply if needed.

### **PROPOSED SYSTEM:**

In this proposed system WIFI technology used to transmit the meter reading to the customer and government with the required cost. This process will be happen when needed that means if SMS is received from authorized server mobile transmission between customer and government. Then the energy theft controlled by IR sensor, Bypass detection. Also cut the power supply automatically as per request of authorized server mobile.

### **ADVANTAGES**:

- This is an easy way to identify theft in house compare to other technique like power line communication and wireless.
- It will reduce operations cost.
- It enables accurate results.
- Power theft on any line in that colony will be identified by this system.

- Tolerance should be provided for losses of line
- It is found to be little bit complex as distributed network is concern

### **Power Supply**

The input to the circuit is applied from the regulated power supply. The AC input that is 230V from the main supply is step down by the transformer to 12V and is fed to a rectifier. The output obtain from the rectifier is a pulsating DC voltage. So in order to gate a pure DC voltage, the output voltage from the rectifier is fed to a filter to remove any AC components present even after rectification. Now this is given to a voltage regulator to obtain a pure constant dc voltage.

### **Seal Tempering Circuit**

If the person theft the power in energy meter like, if he remove the seal which on energy meter then IR sensor will send the signal to PIC microcontroller then it will send the message to substation controller mobile through GSM modem.

### **Bypass detection unit**

If the person use a the power without connecting to energy meter, that means if he is bypassing the connection in energy meter without any reading in energy meter the person use power in houses at time our circuit send a message to substation controller through GSM with help of PIC controller and cut the power supply automatically by using relay.

### **Power Measurement Unit**

In the power measurement unit, the one CT is used to measure total current used and measuring voltage, we use bridge of diode for converting AC to DC and then voltage divider circuit reduce voltage level at measurable scale.

### **LCD Display**

The commonly used 16x2 LCD display custom using GSM, made characters, numbers, alphabets, and special international journal of advanced research characters. When there is no theft occur in energy computer science engineering, 2012. meter then the LCD will display voltage current and [5] Bharath, power. If theft is occurs then it display THEFT IS Prakash, K.V.J.; "Wireless automated digital energy DETECTED

### **Hardware Design**

The hardware of the automatic meter reading and Zamanzadeh, "SMS-based theft control system by using GSM module our automatic meter reading system" in control project at designing such a system which will applications,2007. automatically collect the reading and also detect the theft. Current transformer is used to measure the total power consumption for house or industrial purpose. This recorded reading is transmitted to the electricity board as per his demand for transmitting the reading of energy meter GSM module is used.

The energy theft is control by IR sensor, IR is placed in the screw portion of energy meter seal. If the screw is removed from the meter message is send to the electricity board. The measuring of energy meter and monitoring of IR sensor is done with a PIC microcontroller. Then bypass of meter is detected by using to CT. One is in energy meter another is placed on electricity pole.

### 7. Conclusion

The project model reduces the manual manipulation work and theft. Use of WIFI in our system provide the numerous advantages of wireless network systems. The metering IC ensure the accurate and reliable measurement of power consumed. Hence we are trying to manipulate cost wise low when compared to other energy meter without automatic meter reading and theft controL

### 8. References

[1] Siddarameswara H.N. "GSM based electricity theft identification in houses

and in industry sector", ICEE-21<sup>st</sup> june 2014, ISBN-978-93-81693-6603-03.

[2] P. Rakesh Malhotra et al. / IJET "automatic meter reading and theft control system by using *GSM*", 2013.

[3] Abhinandan Jain, Dilip Kumar, Jyoti Kedia, "Design and Development of GSM based Energy Meter", in IJERT, 2012.

[4] S. Arun; Dr, sidappa Naidu, "Design and implementation of automatic meter reading system

ZIGBEE GPRS" through in in

P.; ananth, N.; Vijetha, S.: meter". In sustainable energy technologies, ICSET 2008.

[6] Abdollahi, A. Dehghani, M. Reconfigurable